





VISION

Our vision is to be the prevailing and premier name in the steel domain by providing quality steel products and services and be a symbol of efficiency and professional veracity

MISSION

Our vision is to contribute and support the economic growth of the country by providing quality steel products, and leverage goodwill throughout the country.

Moreover, our mission is to exceed our Customers expectations by having a proactive approach, customer focussed attitude by evolving ourselves to the ever changing needs of our wide customer base.

ABOUT US

Established in 1996, Z.V Steels Pvt Ltd. is steel trading company dealing mainly in MS Flat Steel Products specializing in Cold Rolled Steel other products include Hot Rolled, Galvanized steel etc, Z.V Steels Pvt. Ltd deals in the best quality steel products has an efficient distribution network servicing consumers directly and also through various suppliers. We are authorized distributors for JSW Steel Ltd. With rich experience and honest work flow we have leveraged trust and goodwill in the industry. ZVSPL has successfully inducted three generations of entrepreneurs in the business and the main promoters have been in the Iron & Steel Industry for close to four decades.

Over the last 2 decades we have made rapid progress due to the persistent perseverance in pursuit of excellence and we intend to rapidly expand our presence in the steel industry in India. Today, we are supplying steel to Maharashtra, Madhya Pradesh, Gujarat, Goa, among other states with an annual sales quantity of more than 50,000 MT.

ZVSPL has its head office in Carnac Bunder, Mumbai and has its self-owned service centre with Warehousing, Cut-to-Length and Shearing Facility located at MIDC Taloja, Dist. Raigad.

Profile of Key Professionals:-

Mr. Riyaz Lokhandwalla (Managing Director)
B.COM and experience of over 30 years in Steel industry

Mr. Zameer Lokhandwalla (Managing Director)
IT ENGG (B.E) & MBA

Cold Rolled Closed Annealed (CRCA)

<u>Specifications:</u>

| Thickness | 0.25 – 4.00 mm | | |
|----------------|---|--|--|
| Width | Upto 1850 mm | | |
| Length | Upto 5000 mm | | |
| Coil ID | 508 / 610 mm | | |
| Surface Finish | Dull/Bright/Matt Ra between 0.50 - 1.50 microns | | |
| Edge | Mill Edge/ Slit Edge | | |

<u>Grades:</u>

| Classification | EN Standard | JIS G 3141:2005 | ASTMA 1008 | IS 513 | JFS |
|---|-------------|-----------------|---------------|--------|---------|
| CQ | Dc01 | SPCC | CS type A & B | Cr1 | JSC270C |
| DQ | Dc01 | SPCD | CS type C | Cr2 | JSC270D |
| DDQ | DC03 | SPCE | DS type A & B | CR3 | JSC270E |
| EDDQ | DC04 | SPCF | DD\$ | CR4 | JSC270F |
| IF | DC06 | SPCG | EDDS | Cr5 | JSC260G |
| HIF350 | HC220Y | - | - | - | JSC340P |
| HIF 390 | HC260Y | - | - | - | JSC390P |
| High Strength Microalloyed steel | HC260LA | - | - | - | - |
| | HC300LA | - | - | - | - |
| | HC340LA | - | - | - | JSC440R |
| | HC380LA | - | - | - | - |
| | HC420LA | - | - | - | - |

<u>Surface Finish And Roughness Values:</u>

| Surface Finish | Roughness | | |
|----------------|------------------|--|--|
| Bright | Ra 0.4 um | | |
| Semi-bright | Ra 0.7 um | | |
| Normal | 0.7 um Ra 1.6 um | | |
| Rough | Ra 1.6 um | | |



Hot Rolled Pickled & Oiled / Skinpassed (HRPO/HRSPO)

<u>Specifications:</u>

| Thickness | 1.5 – 6.00 mm |
|----------------|----------------------|
| Width | Upto 1600 mm |
| Length | Upto 5000 mm |
| Coil ID | 508 / 610 mm |
| Surface Finish | Upto 30MT |
| Edge | Mill Edge/ Slit Edge |

Grades:

- IS 1079 HR1 HR5; (JIS G 3131 SPHC, SPHD, SPHE)
- · IS 10748 Grade1 5; (JIS G 3113 SAPH310, 370, 400 & 440)
- · JIS G 3134 SPFH490, 540, 590, 540Y & 590Y



IS-1079 D (Chemical Properties

| QUALITY | | CONSTITUENCY PERCENT % (MAX) | | | | |
|-------------|--------------------|------------------------------|-----------|-------------|---------|-------------|
| Designation | Name | Carbon | Manganese | Phosphurous | Sulphur | Micro-Alloy |
| Hr0 | Ordinary | 0.25 | 1.7 | 0.05 | 0.045 | - |
| Hr1 | Commercial | 0.15 | 0.6 | 0.05 | 0.035 | - |
| Hr2 | Drawing | 0.1 | 0.45 | 0.04 | 0.035 | - |
| Hr3 | Deep Drawing | 0.08 | 0.4 | 0.035 | 0.03 | - |
| Hr4 | Extra Deep Drawing | 0.08 | 0.35 | 0.03 | 0.02 | - |
| HR5 | IF | 0.004 | 0.25 | 0.02 | 0.002 | 0.15 |

COMPETITIVE ADVANTAGES

- Over 30 years experience and expertise in steel industry with induction of 3 generations of enterpreneurs
- Competitive prices
- High focus on product quality and service
- Timely deliveries
- High Inventory and stock levels
- A well reputed name among large
- Service Centre and Warehouse
- Excellent customer responsiveness
- Unending pursuit of product, process and performance optimization
- Dimension accuracy and high product quality
- Logistics

SERVICE CENTRE

Z.V Steels Pvt. Ltd. Has a self owned warehouse and service centre providing storage and cut to length facility to desired length of their customers. Packing services and Logistic services are also provided. With three over head cranes of capacity upto 30 MT, we have a capacity of processing material of ranges from 0.25mm to 4mm. With high inventory and stock levels we are able to cater to our customers just-in-time.

APPLICATIONS / USER INDUSTRY PROFILE

- Automobile components and ancillaries
- Engineering and Fabrication
- Drums and Barrels
- Electrical Panels and boards
- Furniture industry

- Home Appliances and White Goods
- Packaging industry
- Aerospace
- Furniture
- Telecommunications

AWARDS & ACCOLADES











To maintain a competitive edge we provide competitive rates and provide timely deliveries thereby ensuring Customer satisfaction.

- ZV Steels



Corp. Office- GM-4, Gokul Building, mezzanine floor, 80/A Baroda street, Carnac Bunder, Opp. Masjid Bunder Railway station, Mumbai – 400009.

Mob - 9820078069 / 9820222206 | Off- 022 - 23484439 / 23482778 | Fax: 23482778

Service Centre- C17 / 1 , M.I.D.C Taloja , Near Taloja Police Station , Dist. Raigad. Maharashtra.

M- 9930803755 | Website : www.zvsteels.com